

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|----------|------------------|---------|------------------|
| L1 | 2491 | wavelet adj transform\$6 | USPAT | OR | OFF | 2006/09/27 14:38 |
| L2 | 20 | 1 and (hierarchical adj tree) | USPAT | OR | OFF | 2006/09/27 14:20 |
| L3 | 4 | 2 and (child\$4 near node) | USPAT | OR | OFF | 2006/09/27 14:21 |
| L4 | 4 | 3 and parent | USPAT | OR | OFF | 2006/09/27 14:21 |
| L5 | 2 | 4 and descendant | USPAT | OR | OFF | 2006/09/27 14:21 |
| L6 | 2 | 5 and encod\$4 | USPAT | OR | OFF | 2006/09/27 14:30 |
| L7 | 4 | ("5758073" or "5847616" or "6445823" or "6956973").pn. | USPAT | OR | OFF | 2006/09/27 14:36 |
| L8 | 2 | 7 and 1 | USPAT | OR | OFF | 2006/09/27 14:32 |
| L9 | 0 | 7 and 2 | USPAT | OR | OFF | 2006/09/27 14:32 |
| L10 | 2712 | wavelet adj transform\$6 | US-PGPUB | OR | OFF | 2006/09/27 14:36 |
| L11 | 27 | 10 and (hierarchical adj tree) | US-PGPUB | OR | OFF | 2006/09/27 14:36 |
| L12 | 7 | 11 and (child\$4 adj node) | US-PGPUB | OR | OFF | 2006/09/27 14:37 |
| L13 | 6 | 12 and (parent adj node) | US-PGPUB | OR | OFF | 2006/09/27 14:37 |
| L14 | 2 | 13 and descendant | US-PGPUB | OR | OFF | 2006/09/27 14:37 |
| L15 | 705 | wavelet adj transform\$6 | EPO; JPO | OR | OFF | 2006/09/27 14:38 |
| L16 | 1 | 15 and (hierarchical adj tree) | EPO; JPO | OR | OFF | 2006/09/27 14:38 |

| | U | 1 | Document ID | Issue Date | Pages |
|---|---|---|---------------|------------|-------|
| 1 | | | US 6956973 B1 | 20051018 | 13 |
| 2 | | | US 6445823 B1 | 20020903 | 13 |
| 3 | | | US 5847616 A | 19981208 | 13 |
| 4 | X | | US 5758073 A | 19980526 | 11 |

| | Title | Current OR | Current XRef |
|----------|---|-------------------|---------------------------------|
| 1 | Image compression | 382/240 | 382/243 |
| 2 | Image compression | 382/232 | |
| 3 | Embedded voltage controlled oscillator with minimum sensitivity to process and supply | 331/57 | 331/175; 331/177R; 331/34 |
| 4 | Serial interface between DSP and analog front-end device | 709/230 | 709/208; 709/237; 710/105 |

| | Retrieval Classif | Inventor | S | C | P | 2 | 3 | 4 | 5 |
|---|----------------------|-----------------------------|---|---|---|---|---|---|---|
| 1 | | Liang; Jie et al. | X | | | | | | |
| 2 | | Liang; Jie | X | | | | | | |
| 3 | | Ng; Maisy Mun Lan et al. | X | | | | | | |
| 4 | | Liang; Jie et al. | | | | | | | |

| | Image Doc. Displayed | PT |
|----------|---------------------------------|-----------|
| 1 | US 6956973 | |
| 2 | US 6445823 | |
| 3 | US 5847616 | |
| 4 | US 5758073 | |